ACCS LABORATORY CANNABIS & HEMP BEYOND COMPLIANCE 721 Cortaro Dr. Sun City Center, FL 33573 www.acslabcannabis.com

License No. 800025015 FL License # CMTL-0003 CLIA No. 10D1094068 D8 Sour Lifter Sample Matrix: CBD/HEMP Flower & Plants (Inhalation - Heated)



Certificate of Analysis

Compliance Test

HEMP FLOWER PRIME 3500 W MOORE AVE SANTA ANA, CA 92704	Batch # 1211D8SL Batch Date: 2021-12-11 Extracted From: hemp	Test Reg State: Florida		
Order # HEM211211-150001 Order Date: 2021-12-11 Sample # AACG440	Sampling Date: 2021-12-15 Lab Batch Date: 2021-12-15 Completion Date: 2021-12-20	Initial Gross Weight: 5.025 g		
IHIHM M	Potency Tested			
Accato arcai				
2 63				

	Delta 8/Delta 10 Potency				Tested	Potency Summary		
Specimen Weight: 191.280 mg			(LCUV)	Total Delta 8 4.039%	Total Delta 10 None Detected Total CBD			
				Total THC				
Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)		0.637%	21.023%	
CBDA	0.00001	0.001	225.000	22.500		Total CBG	Total CBN	
Delta-8 THC	0.000026	0.001	40.390	4.039 📕		0.424%	0.029%	
CBD	0.000054	0.001	12.900	1.290		Oth an Oann ah in aida	Tatal Osna shin sida	
THCA-A	0.000032	0.001	7.260	0.726		Other Cannabinoids	Total Cannabinoids	
CBGA	0.00008	0.001	4.269	0.427		0.144%	26.294%	
CBC	0.000018	0.001	1.291	0.129				
CBG	0.000248	0.001	0.492	0.049				
CBN	0.000014	0.001	0.288	0.029				
THCV	0.000007	0.001	0.146	0.015				
Delta-10 THC	0.000003	0.001		<loq< td=""><td></td><td></td><td></td></loq<>				
Delta-9 THC	0.000013	0.001		<loq< td=""><td></td><td></td><td></td></loq<>				

(77 an Lab Toxicologist Xueli Gao

0.000065

0.001

Lab Director/Principal Scientist Aixia Sun D.H.Sc., M.Sc., B.Sc., MT (AAB)

<LOQ

Ph.D., DABT

CBDV



Definitions and Abbreviations used in this report: *Total CBD = CBD + (CBD-A * 0.877), *Total CBD = CBD + (CBDVA * 0.877), *Total CBC = CBC + (CBCA * 0.877), *Total CBC = CBC + (CBCA * 0.877), *Total CBC = CBC + (CBCA * 0.877), *Total CBC = CBD + CBD + CBT = CBC + CBCA + 0.877), *Total CBC + CDA + C

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.