



# Certificate of Analysis

Sample:KN30609002-001  
Harvest/Lot ID: 60  
Batch#: 20230324  
Batch Date: 03/24/23  
Sample Size Received: 9 gram  
Retail Product Size: 9 gram  
Ordered : 06/06/23  
Sampled : 06/06/23  
Completed: 06/12/23

Jun 12, 2023 | HSP  
12480 NW 25th Street, Suite #115  
Miami, FL, 33182, US

**PASSED**  
Page 1 of 1

**PRODUCT IMAGE**

**SAFETY RESULTS**

Pesticides  
NOT TESTED

Heavy Metals  
NOT TESTED

Microbials  
NOT TESTED

Mycotoxins  
NOT TESTED

Residuals Solvents  
NOT TESTED

Filtration  
NOT TESTED


Water Activity  
NOT TESTED

Moisture  
NOT TESTED

**MISC.**

Terpenes  
NOT TESTED


**PASSED**



**Analysis Method :** SOP.T.30.031.TN & SOP.T.40.031.TN Expanded Measurement of Uncertainty: Flower Matrix d9-THC: ± 0.100, THCA: ± 0.124, TOTAL THC ± 0.112. These uncertainties represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor k=2 for a normal distribution.

**Analysis Batch :** KN003863POT      **Reviewed On :** 06/12/23 11:21:09  
**Instrument Used :** E-SHI-008      **Batch Date :** 06/09/23 08:13:17  
**Running on :** N/A

**Dilution :** N/A  
**Reagent :** 122922.10; 100422.02; 051023.01; 060123.R06; 053123.R35; 102722.28  
**Consumables :** 302110210; 22/04/01; 220725; 230105059D; 239146; 947B9291.271; GD210005; 1350331; 6121219; 600054; IP250.100  
**Pipette :** E-VWR-120



**Analysis Method :** SOP.T.30.031.TN, SOP.T.40.032.TN, SOP.T.40.151.TN  
**Analysis Batch :** KN003860CAN      **Reviewed On :** 06/09/23 16:26:41  
**Instrument Used :** E-SHI-153      **Batch Date :** 06/08/23 08:32:55  
**Running on :** N/A

**Dilution :** N/A  
**Reagent :** 100422.02; 060123.R06; 053123.R35; 102722.02; 102722.28  
**Consumables :** 302110210; 22/04/01; B9291.100; 230105059D; 947B9291.271; GD220003; 1350331; IP250.100  
**Pipette :** N/A

Analysis is performed using High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA) and/or GC-MS with Liquid Injection (Gas Chromatography - Mass Spectrometer). LOQ of 0.01% for THCVA & HHC, 0.0012% for THCP and 0.05% for THCO.\*ISO Pending